SPECIFICATION		PARTICULATE FILTERS							ODOUR CONTROL	GREASE	PAINT
Grade	EN	Panel	Bag	Media	Rigid Pleat	Washable	HEPA	ULPA			
G2	EN779	Glass		Glass Fibre					PANELS	MESH	Andrae
G3	EN779	Synthetic	GP3	A15/150		30ppi			DISCARBS	BAFFLE	Filter packs
G4	EN779	Pleat	GP4	A15/350		45ppi			- STD DUTY	50/50 50/25	
F5	EN779		GP5	A290		60ppi			- EXTRA DUTY		Dry Glass
F6	EN779		HP6 HPS6	A15/500	F6						Fibre Media
F7	EN779		HP7 HPS7	A500g	F7				Rated flows based on	Specification	
F8	EN779		HP8 HPS8		F8				- 0.1 seconds	DW171	
F9	EN779		HP9 HPS9		F9						
H10	EN1822						H10		Recommendations:		
H11	EN1822						H11		- 0.1 secs English		
H12	EN1822						H12		- 0.1 secs Chinese		
H13	EN1822						H13		- 0.3 secs Indian		
H14	EN1822						H14				
H15	EN1822						H15		Beware of weight		
U16	EN1822							U16			
			Height	Media type	Height	Height	Height	Height	Height	Height	Media Type
ORDERING		Width	Width	Size	Width	Width	Width	Width	Width	Width	Size
		Depth	Bag Length		Depth	Depth	Depth	Depth	Depth	Depth	
CRITERIA			Header Depth		Header Depth		Casing	Casing	Grade	Handles	
			No of Pockets				Spacers	Spacers	Capacity		
							Gasket	Gasket			
Actual Face		Nominal	Nominal	Cut to	Nominal	Nominal	Nominal	Nominal	Nominal	Nominal	Cut to
Dimensions		less 6mm	less 16mm	actual	less 16mm	less 6mm		less zero	less 12mm	less 12mm	Actual
Actual Depths		less 3mm	less zero	N/A	146 or 292mm	less 3mm	75/146/20	)3/292mm	less 12mm	less 3mm	N/A

SPECIFICATION		TYPICAL APPLICATIONS					
Grade	EN						
G2	EN779	Prefilter for fresh air,					
G3	EN779	Filters for electrical equipment, cooker hood medias, prefilter for solder fumes					
G4	EN779	Good general purpose prefilter for fresh air, minimum standard for air intakes to food areas					
F5	EN779	Prefilter for Activated Carbon Filters, Above average prefilter for fresh air.					
F6	EN779	Secondary filter to glass panel for low grade offices					
F7	EN779	Secondary filter to pleated panel filters in offices and shopping malls where décor cleanliness is importa					
F8	EN779	As F7 , low grade operating theatres	Efficiency				
F9	EN779	As F8, low grade clean rooms for storage or simila	to EN1822				
H10	EN1822	For removal of smoke (not 100%) low grade cleanroom Class 8 to EN1464	85				
H11	EN1822	Start of HEPA range not often used	95				
H12	EN1822	Lower grade cleanrooms	99.5				
H13	EN1822	Cleanrooms, or asbestos removal - start of ensuring air is breathable quality, when used in industrial applicatic	99.95				
H14	EN1822	Cleanrooms, or asbestos removal - ensures air is breathable quality, when used in industrial applicatic	99.995				
U15	EN1822	Not often requestec	99.9995				
U16	EN1822	Cleanroom to Class 4 to EN1464	99.99995				
Odour		removal of gaseous products - good for organic gases					
Grease		removal of grease from cooking applications, can be effective as oil coallescer and moisture coallescer					
Paint		spray booths					